
MC9400 and MC9450 Accessories Guide

Powering a new generation of data collection

Revised January 2024





Contents



I.		Accessories that POWER devices			
	1	Cradles			
	1.1	Single-slot chargers	3		
	1.2	Multi-slot chargers	3		
	1.3	Mounting options for chargers	3		
	2 Batteries and additional charging accessories				
	2.1	Spare battery chargers	4		
	2.2	NEW: Spare Li-ion batteries with BLE Beacon	4		
	2.3	Spare Li-ion batteries	4		
	2.4	Additional charging accessories	5		
II.		Accessories that ENABLE productivity solutions			
	3	Field replaceable spare keypads	6		
	4	Mount, headsets and other accessories	7		
III.		Accessories that PROTECT devices			
	5	Soft holsters, rugged boots, and screen protectors	8		
IV.		Power supply, cables, and adapters			
		Power supply and cable matrix	9		
		Country-specific AC line cords	10		



Cradles





Single Slot Cradle w/Spare Battery Charger: SKU# CRD-MC93-2SUCHG-01

Single slot USB cradle, w/spare battery charger, charges one device and one spare battery. Allows USB communication to the device with an additional USB-C cable.

- USB communication
- Fast-charge while using MC94/MC93 PP+ batteries
- Charges one device and one spare battery
- Compatible with Level V and Level VI power supplies
- NOT COMPATIBLE WITH MC92

Requires: Power supply PWR-BGA12V50W0WW, DC line cord CBL-DC-388A1-01 and country specific 3 wire AC line cord. Country-specific AC line cord (listed later in this document).





Multi-Slot Cradle w/Spare Battery Charger:

SKU# CRD-MC93-4SCHG-01

4 Slot charge only cradle, charges up to four devices.

SKU# CRD-MC93-4SETH-01

4 Slot Ethernet cradle, charges up to four devices and provides Ethernet communication.



- Charge only and Ethernet ShareCradle configurations
- Fast-charge while using MC94/MC93 PP+ batteries
- Charges 4 devices
- Compatible with Level V and Level VI power supplies
- Desk/Wall/Rack mount options
- NOT COMPATIBLE WITH MC92
- All Cradles Require: Power supply PWR-BGA12V108W0WW, DC cord CBL-DC-381A1-01
 and country specific 3 wire AC line cord. Country-specific AC line cord (listed later in this
 document).





SKU# BRKT-SCRD-SMRK-01

Rack/Wall mounting bracket, allows to install any multi-slot cradle on a wall or a 19" IT rack

MC9400 and MC9450 Accessories Guide



Spare Battery Charger





Spare Battery Charger Options: SKU# SAC-MC93-4SCHG-01

4-slot battery charger, charges four spare batteries. Requires: Power supply PWR-BGA12V50W0WW, DC line cord CBL-DC-388A1-01 and country specific 3 wire AC line cord. (listed later in this document).

SKU# SAC-MC93-16SCHG-01

16-slot battery charger, charges sixteen spare batteries. Requires: Power supply PWR-BGA12V108W0WW, DC cord CBL-DC-381A1-01 and country specific 3 wire AC line cord. (listed later in this document).

- Charge only and Ethernet ShareCradle configurations
- 4-slot and 16-slot configurations
- Fast-charge while using MC94/MC93 PP+ batteries
- Compatible with Level V and Level VI power supplies
- Desk/Wall/Rack mount options
- NOT COMPATIBLE WITH MC92 BATTERIES

Spare Li-ion batteries





New SKU# BTRY-MC94-BLE-01 (BLE Beacon) (QTY:1)

PowerPrecision+ Lithium Ion 7000 mAh battery, BLE Enabled MC94XX/MC93XX Series Battery, Qualifies for special DT SW SKU pricing (SW-BLE-DT-SP-3YR or SW-BLE-DT-SP-1YR), QTY-1

Pack of 10 batteries: BTRY-MC94-BLE-10

SKU# BTRY-MC93-STN-01(Standard) (QTY:1) SKU# BTRY-MC93-NI-01 (Non Incendive) (QTY:1)

PowerPrecision+ Lithium Ion 7000 mAh battery, provides advanced State of Charge and State of Health, supports fast-charge while using MC94/MC93 cradles and chargers.

Pack of 10 batteries: BTRY-MC93-STN-10, BTRY-MC93-NI-10

SKU# BTRY-MC93-FZ-01 (Freezer) (QTY:1)

PowerPrecision+ Lithium Ion 5000 mAh Freezer rated (-30C) battery, provides advanced State of Charge and Health, supports fast-charge while using MC94/93 cradles and chargers.

Pack of 10 batteries: BTRY-MC93-FZ-10



Additional Charging Accessories



Accessories for USB Cables: SKU# CBL-MC93-USBCHG-01

USB cable, provides fast-charge when a MC93 PP+ battery and a wall adapter is used, it also allows USB communication to the device when connected to a PC.

Require: CBL-TC2X-USBC-01 and Power supply PWR-WUA5V12W0XX



SKU# PWR-WUA5V12W0US

Level VI power supply (wall adapter) 100-240 VAC, 5V, 2.5A with US plug. Refer to FINAL PAGE






Charging Cup for legacy Single and Multi-Slot Cradles SKU# ADP-MC93-CRDCUP-01

Charge only adapter for backwards compatibility with MC9x cradles, the adapter can be installed on any MC9x single slot or multi-slot cradle (charge only or Ethernet) allowing to charge a MC93 device (the adapter does not provide USB or Ethernet communication and does not provide fast-charge).

Accessories that enable productivity solutions




Field Replaceable Spare Keypads




53 Key StandardKYPD-MC9353ANR-01
KYPD-MC9353ANR-10




53 Key TE VTKYPD-MC9353VT-01
KYPD-MC9353VT-10



53 Key TE 5250KYPD-MC93535250-01
KYPD-MC93535250-10



58 Key Func ANKYPD-MC9358ANR-01
KYPD-MC9358ANR-10



43 Key FunctionKYPD-MC9343FN-01
KYPD-MC9343FN-10



34 Key FunctionKYPD-MC9334FNR-01
KYPD-MC9334FNR-10



29 Key FunctionKYPD-MC9329NMR-01
KYPD-MC9329NMR-10

Accessories that enable productivity solutions



Mounting, headsets and other accessories



Un-powered forklift mount SKU# MNT-MC93-FLCH-01

Allows installing the device on a roll bar or square surface of a forklift.

Requires: RAM double socket arm for 1" ball (MNT-RAM-B201U), RAM forklift clamp 2.5" max width square rail base with 1" ball (MNT-RAM-B247U25).



Rack/Wall mounting bracket

SKU# BRKT-SCRD-SMRK-01

Rack/Wall mounting bracket, allows to install any Multi-slot ShareCradle, the 16-slot battery charger or up to four 4-slot battery chargers on a wall or a 19" server rack.



Rugged Bluetooth headset with over-the-head headband SKU# HS3100-OTH

HS3100 Rugged Bluetooth headset with over-the-head headband. Included HS3100 boom module and HSX100 OTH headband module

Rugged Bluetooth headset with behind-the-neck headband (left). SKU# HS3100-BTN-L

HS3100 Rugged Bluetooth headset with behind-the-neck headband (left). Included HS3100 boom module and HSX100 BTN-L headband module.



Stylus

SKU# SG-TC7X-STYLUS-03

Stylus with coiled tether (Qty. 3). Made of conductive carbon-filled plastic material, optimized for enterprise durability.



Soft Holsters, rugged boots and screen protectors



Fabric Holster SKU# SG-MC9X-SHLSTG-01

Fabric holster, secures to a belt or a shoulder strap. Allows to carry the gun device on the hip or cross-body. Requires belt of shoulder strap ordered separately.

Shoulder strap SKU# 58-40000-007R

Universal shoulder strap for fabric holster.

Belt for holster SKU# 11-08062-02R

Universal belt for fabric holster.



Protective boot SKU# SG-MC93-RBTG-01

Protective boot for gun configurations, protects the device from wear and tear.



Hand strap SKU# SG-MC93-HDSTPG-01

Spare hand strap for gun configurations. (pkg 1)



Glass screen protector SKU# MISC-MC93-SCRN-01

Tempered glass screen protector (Qty. 5)



Power supply, cables, and adaptors

Power supply and cable matrix

SKU#	Country / region	Note
PWR-WUA5V12W0AU	Australia	Level VI power supply (wall adapter) 100-240 VAC, 5V, 2.5A
PWR-WUA5V12W0BR	Brazil	Level VI power supply (wall adapter) 100-240 VAC, 5V, 2.5 A
PWR-WUA5V12W0CN	China	Level VI power supply (wall adapter) 100-240 VAC, 5V, 2.5A
PWR-WUA5V12W0EU	Europe	Level VI power supply (wall adapter) 100-240 VAC, 5V, 2.5A
PWR-WUA5V12W0GB	United Kingdom	Level VI power supply (wall adapter) 100-240 VAC, 5V, 2.5A
PWR-WUA5V12W0IN	India	Level VI power supply (wall adapter) 100-240 VAC, 5V, 2.5A
PWR-WUA5V12W0KR	Korea	Level VI power supply (wall adapter) 100-240 VAC, 5V, 2.5A
PWR-WUA5V12W0US	United States	Level VI power supply (wall adapter) 100-240 VAC, 5V, 2.5A



Power supply, cables, and adaptors

Country-specific AC line cords: grounded, 3-prong

SKU#	Country / region	Note
23844-00-00R	North America (United States, Canada, Mexico)	7.5 feet long Commonly used with chargers mounted in server racks
50-16000-217R	American Samoa, Australia, New Guinea	1.9 meters (6.2 feet) long
50-16000-218R	Japan	1.8 meters (6 feet) long
50-16000-219R	Antigua, Bermuda, Burma, Channel Islands, Hong Kong, Iraq, Ireland, Malaysia, North Ireland, Scotland, Singapore, United Kingdom, Wales	1.8 meters (6 feet) long
50-16000-220R	Europe, Abu Dhabi, Bolivia, Dubai, Egypt, Iran, Korea, Russia, Vietnam	1.8 meters (6 feet) long
50-16000-256R	Korea	1.8 meters (6 feet) long
50-16000-257R	China	1.8 meters (6 feet) long
50-16000-669R	India, S. Africa, Africa	1.9 meters (6 feet) long
50-16000-671R	Italy	1.8 meters (6 feet) long
50-16000-672R	Israel	1.9 meters (6.2 feet) long
50-16000-727R	Brazil	1.9 meters (6.2 feet) long